



1440 COWPATH RD. • HATFIELD, PA 19440
 215/361-9099 • Fax: 215/361-9212
 www.hunyady.com



(3) '13 CAT 950K LOADERS



'03 FINLAY 770

PRE-SORTED
 FIRST CLASS MAIL
 US POSTAGE
PAID
 UPPER DARBY, PA
 PERMIT #45



'98 MACK RD600GK




ABSOLUTE AUCTION
COMPLETE LIQUIDATION
VIRTUAL, LIVE BROADCAST

WEDNESDAY, JUNE 23, 2021 9:00AM

Jigging Technologies, LLC dba ATOLL
Johnstown, Pennsylvania



Jigging Technologies



Notice: In 2008 Jigging Technologies LLC dba ATOLL started the reclamation of metals and aggregates from the Riders Disposal Area Slag Dump (Formerly Bethlehem Steel Corporation). Recovery has been completed and site reclamation and the removal of all plant and machinery must be satisfied. Everything is owned by ATOLL and must sell to the highest bidder, regardless of price, at Absolute Auction!

Location: 950 Riders Road, Johnstown, PA 15906 (Please Note: There will be NO LIVE BIDDING onsite)

LIVE, VIRTUAL AUCTION: Due to the recommendations of the CDC and State and Local mandates in response to the Covid-19 outbreak and out of an abundance of caution for the health and wellbeing of all, this auction is being conducted via *LIVE, VIRTUAL ONLINE ONLY*. There will be *NO LIVE BIDDING FROM THE SITE*. *ADDITIONALLY, there will be NO PAYMENTS accepted at the auction site! Payment must be paid either by wire transfer or credit card.*

Social Distancing Guidelines: Masks are required. Strict social distancing guidelines will be enforced throughout the entire inspection and loadout phases. **NO ADMITTANCE** to the site without mask. Physical, social distancing of at least 6 feet will be enforced as well.

Terms: Complete payment immediately after receipt of invoice by wire transfer or credit card only. Credit card payments will be charged a 3% processing fee.

Online Bidding: Live internet bidding will be provided by Proxibid. Proxibid will charge an Internet Service Provider Fee of 5% to the successful internet bidder for items over \$10,000 and 10% for items \$10,000 and under, for each lot purchased on-line. All bidders are required to register to bid through Proxibid.

Sales Tax: Since this contractor is selling items not normally sold in the course of his business, the Commonwealth of Pennsylvania considers this an isolated sale and does not require the auction company to collect sales tax.

Inspection: Items will be available for inspection one week prior to sale day, starting on June 16, 2021, from 8:00am until 4:00pm with the exception of Saturday and Sunday, June 19th and 20th at which time the site will be closed.

Removal: After complete payment, items may be removed sale day until 4:00pm. Items may also be removed Thursday and Friday, June 24 and 25th and Monday thru Wednesday, June 28th thru June 30th from 8:00am until 4:00pm. All items must be removed no later than June 30, 2021 at 4:00pm.

Special Plant, Buildings, and Scale Removal: The new purchaser will be responsible for dismantlement and removal of the plant, buildings, truck scale, transformer, and main disconnect. There will be an extended loadout period for these larger items through November 30, 2021. Any items remaining on the site after this date will be forfeited by the purchaser. The new purchaser must provide general liability insurance and proof of worker compensation insurance for all personnel working on the jobsite.

Sale Site Phone: (800) BID-N-BUY • Sale Site Fax: (888) 859-8958

SLAG RECOVERY JIGGING PLANT (SOLD AS AN ENTIRETY IN ONE LOT – BUYER MUST DISMANTLE AND LOAD)

The plant was designed and built by ATOLL, started production in November 2008 and operated continuously until shutdown in November 2018. The facility has a practical capacity of 75TPH with total production of approximately 3,000,000 tons at a new cost of \$6,000,000.



APIC JIGS

Screen Tower and Conveyors with:

(2) **VIPRO** 5'x14' Single Deck Wet Vibrating Screens
24" Truss and Channel Conveyors, with catwalk and safety shutdown: 24"x112' with scale • 24"x120' with scale • 24"x90' • 36"x22'

SCREEN TOWER



Jigging Facility Including:
(2) Apic Jigs (coarse and fine) with (3) 30" compartments, Air Pulse provided through Boge Air Compressors and Aerzen 100HP blowers, Vipro 5'x9' dewatering screens, (3) 1'x4' high frequency dewatering screens and Warman 8"x6" rubber lined pumps with 55HP motors.

Miscellaneous Channel Conveyors: 18"x40' • (2) 24"x60' • 36"x20'

OUTOKUMPU 17' Thickener Tank, with hydraulic rakes with power lift, Bredel 3" peristaltic sludge pump and Warman 4"x3" pump

Fines Tower with (2) Krebs GMAX20-S3353SSC rubber lined cyclones Vipro 3'x8' vibrating dewatering screen, tank, and (2) Warman 4"x3" 30HP pumps

Enclosed in an American Steel 80'W x 160'L x 36' EH Open

FINES TOWER

Truss Steel Building, with (6) 14'H x 16'W overhead doors, (2) man doors, lights, roof vent, fully insulated, bolted columns.



THICKENER TANK



AMERICAN STEEL OPEN TRUSS STEEL BUILDING

RUBBER TIRED LOADERS



'13 CAT 950K

2013 CATERPILLAR Model 950K Rubber Tired Loader, s/n R4A01516, powered by Cat C7, (6) cylinder diesel engine and powershift transmission with auto shift, equipped with high lift configuration, general purpose loader bucket with bolt-on cutting edge, ride control, onboard scale, rearview camera, enclosed ROPS cab with heat and air conditioning, and 23.5R25 tires. In good condition with fair tires.



'13 CAT 950K

2013 CATERPILLAR Model 950K Rubber Tired Loader, s/n R4A01517, powered by Cat C7, (6) cylinder diesel engine and powershift transmission with auto shift, equipped with high lift configuration, general purpose loader bucket with bolt-on cutting edge, ride control, onboard scale, rearview camera, enclosed ROPS cab with heat and air conditioning, and 23.5R25 tires. In good condition with good tires.



'13 CAT 950K

EXCAVATOR AND BACKHOE

2013 CATERPILLAR Model 336EL Hydraulic Excavator, s/n FJH00561, powered by Cat C9.3, (6) cylinder diesel engine and hydraulic drive, equipped with 11' dipper stick, 48" digging bucket, auxiliary hydraulics, rearview camera, enclosed ROPS cab with heat and air conditioning, pattern changer, and 33.5" TBG pads. In good condition with good undercarriage. (Wired For Magnet)



'13 CAT 336EL

2008 CATERPILLAR Model 420E, 4x4 Tractor Loader Extend-A-Hoe, s/n HLS05448, powered by Cat (6) cylinder diesel engine and shuttle transmission, equipped with general purpose loader bucket with bolt-on cutting edge, hydraulic demolition hammer, 18" digging bucket, rear auxiliary hydraulics, and enclosed ROPS cab with heat. In fair condition with fair tires. (4x4 Not Operating)



'08 CAT 420E 4X4 EXTEND-A-HOE

PICKUP TRUCKS AND TAG-A-LONG TRAILER

2006 FORD Model F150XL Pickup Truck, powered by V-6, 4.2L gas engine and automatic transmission, equipped with 8' bed, 50 gallon fuel tank with 12 volt pump. In fair condition. (Bed Damage)

1999 DODGE Dakota SLT, 4x4 Extended Cab Pickup Truck, powered by V-8 gas engine and automatic transmission, equipped with Western 8' power angle snow plow, Buyers Salt Dogg salt spreader, and power windows and locks. In fair conditioning with fair tires. (Off Road Only)

1989 ECONOLINE Tandem Axle Tag-A-Long Trailer, equipped with 19' level deck, 5'3" beavertail, 5' ramps, chain dogs, 96" width and 9x14.5 tires. In fair condition with good tires. (Needs New Deck)

DUMP TRUCKS

1996 MACK Model RD688S Tri-Axle Dump Truck, powered by Mack E7 350 diesel engine and Fuller 8LL, 10 speed transmission, equipped with 17'6" steel dump body with electric tarp, 2-stage engine brake, 44,000# rears, camelback suspension, heated mirrors, air conditioning, 385/65R22.5 front and 11R24.5 rear and lift tires. In good condition with good tires.



'96 MACK RD688S

1998 MACK Model RD600GK Tri-Axle Dump Truck, powered by Mack 300 diesel engine and 6 speed lo-hole transmission, equipped with 18' steel dump body, 2-stage engine brake, 44,000# rears, camelback suspension, air conditioning, and 11R24.5 tires. In good condition with fair to good tires. (Off Road Only)

1989 MACK Tri-Axle Dump Truck, powered by Mack 350 diesel engine and 10 speed transmission, equipped with 18'6" aluminum dump body with chute, 44,000# rears, spring/beam suspension, heated mirrors, air conditioning, and 11R24.5 tires. In fair condition with poor tires. (Off Road Only; Missing 2 Lift Tires)

1986 MACK Model RD688S Tri-Axle Dump Truck, powered by Mack 350 diesel engine and 10 speed transmission, equipped with 17' steel dump body, engine brake, 44,000# rears, spring/beam suspension, heated mirrors, air conditioning, 385/80R22.5 front and 11R24.5 lift and rear tires. (Off Road Only; Missing 3 Lift Axle Tires)

1978 MACK Model RD612SX Tri-Axle Dump Truck, powered by Mack 350 diesel engine and 6 speed lo-hole transmission, equipped with 17'6" steel dump body, camelback suspension, and 11R24.5 tires. In fair condition with fair to poor tires. (Off Road Only)

TRUCK TRACTOR, WATER AND PLOW TRUCK

1986 MACK Model RD688S Tandem Axle Truck Tractor, powered by Mack 300 diesel engine and 10 speed transmission, equipped with stationary 5th wheel, engine brake, 44,000# rears, spring/beam suspension, 228" wheelbase, heated mirrors, and air conditioning. In good condition with fair to poor tires. (Off Road Only)

1989 WHITE/GMC Tandem Axle Water Truck, powered by Detroit Series 60 diesel engine and Fuller 13 speed transmission, equipped with approximately 2,000 gallon water body, Pacer 2" pump, Honda GX160 gas engine, spring suspension, cruise control, 375/70R24.5 front and 11R24.5 rear tires. In fair condition with fair tires. (Off Road Only)



'89 WHITE/GMC 2,000 GALLON

1988 FORD Model L8000 Single Axle Plow Truck, powered by (6) cylinder diesel engine and automatic transmission, equipped with 10' steel dump body with chute, stainless steel hydraulic salt spreader, 11" gear drive hydraulic angle snowplow, air brakes, 39,000# GVWR, and 11R22.5 tires. In fair condition with good to very good tires. (Off Road Only)

CRAWLER SCREEN AND PORTABLE TROMMEL



'02 FINLAY 596

2002 FINLAY Model 596 Crawler Screen, s/n FOB520094, powered by Deutz 4 cylinder diesel engine and hydraulic drive, equipped with vibrating grizzly with hydraulic raise, 42" transfer conveyor, 42" hydraulic oscillating discharge conveyor, umbilical remote control, and 16" TBG pads. In good condition with good undercarriage.

2003 FINLAY Model 770 Portable Trommel Screen, s/n FTT530109, powered by Deutz diesel, equipped with feed hopper with vibrating grizzly with hydraulic raise, 48" front transfer conveyor, 48" front discharge conveyor, 49" trommel feed conveyor, 40" discharge conveyor, (4) hydraulic jacks, and 385/65R22.5 tires. In good condition with fair to good tires.



'03 FINLAY 770

GUNDLACH ROLL CRUSHER



2012 GUNDLACH Model 4020S Roll Crusher, s/n 2673, powered by (2) 60HP electric motors, equipped with hydraulic adjustment, remote lube system, structure, access stairs, (2) roll, single stage. In good condition. (Limited Use)

'12 GUNDLACH 4020S

MAGNETS



OHIO BRASS 36" Copper Wound Electro Magnet, with gas powered generator • (3) **TRIO Model CRP30**, 30"x60" Permanent Self Cleaning Belt Magnets

(1) OF (3) TRIO BELT MAGNETS

RADIAL STACKERS



NORTHSTAR 24"x100' Radial Stacker, powered by 15HP electric motor with Dodge gear reducer, equipped with 1HP chain drive travel motor, manual raise, manual angle wheels, 36" truss, partial galvanized hood, catwalk, pull cord stop, and 205/75R2.5 tires. In good condition with good tires.

NORTHSTAR 100' RADIAL STACKER

(2) **NORTHSTAR 24"x80' Radial Stackers**, powered by 15HP electric motors with Dodge gear reducers, equipped with manual raise, manual angle wheels, 36" truss, catwalk, pull cord stop, and 205/75R22.5 tires. In good condition with good tires.

(1) OF (2) NORTHSTAR 80' RADIAL STACKERS



JAW CRUSHER, FEEDERS, CONVEYOR, AND PLANT PARTS



'08 TRIO JAW CRUSHER

2008 TRIO 10x30 Jaw Crusher, s/n CT10X30-S212, powered by 40HP electric motor, on skid mounted structure with 36"x20' channel feed conveyor and 48"x20' channel discharge conveyor.

VIPRO 24"x6' Vibrating Screen, with dual head vibrator • **24"x140' Plant Feed Conveyor (20'8" channel, 120'x24" truss)**, equipped with galvanized hood, scale, and catwalk • (2) **VIPRO 24"x48" Vibrating Pan Feeders** • **30"x14' Impact Belt Feeder**, 15HP electric motor
Head and Tail Pulleys • Troughing Idlers • Conveyor Belting • Ceramic Head Pulley • Pump Parts • Screen Material • V-Belts • Electric Motors

FORKLIFT AND HYDROSEEDER

DATSUN 5,000# Cushion Tired Forklift, s/n PF02-001356, powered by 4 cylinder propane engine, equipped with 130" 2-stage mast, 42" forks, and ROPS canopy. In good condition with good tires.



DATSUN 5,000#

TURBO TURF 250 Gallon Hydroseeder, s/n 6051, powered by Honda 10HP gas engine, equipped with Franklin 3" centrifugal pump and valve agitation. In good to very good condition.

TURBO TURF 250 GALLON



TRUCK SCALE, MODULAR OFFICE, AND STEEL BUILDING

2008 RICE LAKE Survivor, Model OTRST, 100 Ton Electronic Pitless Truck Scale, s/n 39D9, 11'x70' (3) section diamond plate steel deck, rub rails, remote digital weight indicator, 8'x20' skid mounted scale house: insulated, heat, air conditioning, lights, bathroom, IQ Plus model RL710 digital scale head, computer, monitors, printer, copier, and ticket printer. In good condition. (BUYER MUST DISMANTLE AND LOAD)

ACTON 24'x44' Modular Office, with (4) offices, (2) bathrooms, kitchen, electric heat, air conditioning, and skirting. (BUYER MUST DISMANTLE AND LOAD)

AMERICAN STEEL 40'x80'x20EH Open Span Steel Building, with skylights, lights, mezzanine, heat, (2) 14'H x 16'W overhead doors, transformer, and bolted columns. In good condition. (BUYER MUST DISMANTLE AND LOAD)

AMERICAN STEEL OPEN SPAN STEEL BUILDING



'08 RICE LAKE 100 TON



ACTON MODULAR OFFICE



LAB EQUIPMENT, SHOP AND CONTRACTORS TOOLS, AND MISCELLANEOUS



LAB EQUIPMENT

Lab Equipment: GILSON Model TS-1 Testing Screen, s/n 17547 • **GILSON Sieve Shaker**, with digital readout • (2) **GILSON SP1 and SP2 Sample Splitters** • (2) **GILSON Digital Scales** • (2) Test Jigs
AVENGER 48"x48" Digital Platform Scale • **Lincoln Ranger 305G, 300 Amp Gas Powered Portable Welder/Generator**, s/n U1080409497 (1,477 Hours) • Ladders • Horizontal Band Saw • **INGERSOLL RAND 2475, 7.5HP**

Vertical Shop Air Compressor, single phase • **MEGGER Insulation Tester** • **SLUGGER Magnetic Drill Press** • Impact Wrenches • **ROCKWELL 20 Variable Speed Drill Press** • Bolt Bins • 20 Ton Hydraulic Shop Press • Torch Set and Cart • **LINCOLN 250 Amp Electric Welder** • 36" Electric Conveyor Belt Winder • **AEMC Model 103 Power and Energy Logger**

TRANSFORMER AND MAIN DISCONNECTS (SOLD SEPARATELY FROM PLANT - BUYER MUST LOAD)

JERRY'S ELECTRIC 2,000KVA Oil Filled Transformer, s/n 22008-3, 2100V incoming - 480V/277V out, 3-phase, 60 Hertz, 11,555#, 455 gallons of oil.

GENERAL ELECTRIC Model AKD-8 Switch Gear Main Disconnects, with (1) G.E. low voltage circuit breaker, 635V, 3200 amp with fault trip annunciator, (4) G.E. low voltage circuit breakers, 635V, 1600 amp, skid mounted.



TRANSFORMER AND MAIN DISCONNECTS