

1440 COWPATH RD. • HATFIELD, PA 19440 215/361-9099 • Fax: 215/361-9212 www.hunyady.com



`06 AND `04 MACK CV713 GRANITE





`07 AND `06 CAT 236B (HAMMERS SOLD SEPARATELY)



(3) CAT 430D





NEVER A BUYER'S PREMIUM!



NOTICE: Denton Concrete Services Company has a 75+ year history of concrete pavement work throughout the country. Since the mid-90's Denton has specialized in concrete pavement restoration and rehabilitation from their Lenexa, Virginia location, providing quality service throughout the Mid-Atlantic region. Following a lifetime of successful projects, Mr. Denton has decided it is time to retire and has chosen to liquidate all equipment and trucks at absolute auction, without minimums, reserves, or buyer's premium. **Location**: 2220 South Waterside Drive, Lanexa, Virginia 23089 (Denton Facility)

Directions: From Richmond, VA (Interstates I-64 and I-295): Follow I-64 EAST to Exit #205 and proceed to US Route 60 EAST. Follow Rte. 60 East for (17) miles and turn RIGHT onto S. Waterside Drive (SR 627). The auction site is immediately on your right.

Remote Parking: There is very limited on-street parking at the auction site. Remote parking area is located at the Liberty Baptist Church (15810 Liberty Church Road, Lanexa, VA 23089), which is located (1) mile EAST of auction site on US Route 60, on the LEFT. Look for parking signs. Shuttle buses will be running continuously all day, beginning at 7:00AM. **Online Bidding:** Live internet bidding will be provided by Proxibid. Proxibid will charge an Internet Service Provider Fee of 5% to the successful internet bidder for items over \$10,000 and 10% for items \$10,000 and under, for each lot purchased on-line. All interested internet bidders are required to register w/Proxibid 24 hours prior to the auction at www.proxibid.com/hunyady or call 877-505-7770

Terms: Payment in full is required on sale day by cash, certified funds, or check with a bank letter of guarantee. Sample letter of guarantee: "We hereby guarantee the payment of our customer _______written on his account up to ______ dollars for purchases at your auction sale on March 7, 2019". All guaranteed checks should be made payable to Hunyady Auction Co.

Sales Tax: Since this contractor is selling substantially all of the assets of his business as required in 23VAC10-210-1080, the Commonwealth of Virginia considers this an occasional sale and does not require the auction company to collect sales tax.

Financing: Financing is available, please contact Susan (215) 361-9099 at the auction company for details.

Inspection: Items will be available for inspection beginning one week prior to the auction from 8:00AM to 4:00PM or sale day morning beginning at 7:00AM. Additionally, the site will be open Saturday, March 2nd from 9:00AM until 3:00PM, closed Sunday, March 3rd.

Removal: After complete payment, all sale items may be removed on sale day as long as the removal activity is not disruptive to the sale and only until 5:00PM. Items may also be removed Friday, March 8th thru Wednesday, March 13th, from 8:00AM until 4:00PM. Additionally, the site will be open Saturday, March 9th from 8:00AM until 4:00PM. All items must be removed no later than Wednesday, March 13, 2019 by 4:00PM

Phone: (215) 361-9099 • Fax: (888) 859-8958

- UTILITY AND BROOM TRACTORS -

JD 950 Utility Tractor, s/n 010460C, Yanmar diesel and 4 spd hi-lo trans, auxiliary hydraulics, 3-point hitch, hydraulic joint smoother, hydraulic tow bar, ROPS post, 7.00x15 front and 13.6x20 rear tires. In good condition with good tires. JOHN DEERE



FORD Broom Tractor (Parts Only) • **CASE** 114BCB Broom Tractor, s/n 11039444 (Parts Only) • **LEROI** 125TA Tractair Pneumatic Tractor, s/n 227X1480 (Parts Only)

- CONCRETE REPAIR AND FINISHING EQUIPMENT

2003 CRAFCO Super Shot 250 Diesel Melter/Applicator,

s/n 1C9SA122X31418231, Isuzu diesel, 250 gallon melt pot with twin agitators, heated hose wand, mounted on T/A trailer with 225/75R15 tires. In good condition with good tires. (1,793 hours)

1994 CRAFCO EZ Pour 200D Diesel Melter/Aplicator, s/n 1C9FD1225R1418103, Isuzu diesel, 200 gallon melt pot, mounted on T/A trailer with 185R14 tires. (Insulation jacket needs replaced – no hose or wand).



(5) GRACO Silicone Applicator Systems, with pneumatic pumps for 55 gallon drums • (2) PYLES Silicone Applicator Systems, with pneumatic pumps for 55 gallon drums • AST Epoxy Applicator System • 2000 GRACO LineLazer 3000 Airless Line Striper, gas powered • (10) MINNICH Single Dowel Pin Drills with launching frames, controls and wheels, 7/8" hex drive, 4-1/4" Shaft • (4) ALLEN Hydraulic Roller Screed Power Units, gas powered • (5) ALLEN Drive Units • (20) ALLEN Roller Screed Heads consisting of: (1) 26'; (1) 25.5'; (3) 24'; (5) 20'; (1) 18'; (2) 16'; (7) 14' • (2) TERRAMITE Solo Screeds, Honda 4HP • (4) MAX Cordless Rebar Tiers: (2) RB397Max; (1) RB395Max; (1) RB515Max • MILWAUKEE Core Drill with vacuum pump, stand and bits • (5) WYCO 994 Concrete Vibrators • (10) WACKER Concrete Vibrators • Concrete Forms: Aprox. (75) 8" Curb Forms; (32) 10" Curb Forms • LARGE QUANTITY Concrete Curing Blankets • LARGE QUANTITY Reinforcement Wire Mesh and Rebar Chairs • PLUS: Bull Floats; Straight Edges,

Rakes; Masonry Hand Tools

- MISCELLANEOUS

Approximately (500) Safety Cones, with bases • Approximately (400) Safety Barrels, with bases • 500 Gallon Fuel Tank, with electric pump • (3) Pickup Fuel Tanks, with electric pumps • (6) 50 Gallon Poly Tanks • (3) 15 Gallon Poly Tanks, with electric pumps • (3) CORE CUT CC6560 Concrete Saws (Parts) • RPS 659C/UC Ride-On Pavement Saw (Parts) • (7) E-Z Drills (Parts) • 20' Overseas Storage Container • (5) 24' FRP Van Bodies, with rollup rear doors (Storage Only)

- CONTRACTORS TOOLS AND SHOP EQUIPMENT -

YAMAHA Electric Golf Cart. 36V. with charger and folding rear seat/flatbed (Batteries Bad) • MILLER Bobcat 225NT Gas Powered Welder/Generator, 225 amp welder/8500 watt generator. In good condition. (0,089 Hours) • LINCOLN 225G7 Gas Powered Welder • Gas Powered Air Compressor, Honda 13HP • IMC Wheelbarrow Type Air Compressor, Honda 4HP • LANDA VHP 3-2000, 2000PSI Electric Pressure Washer, with heat, 230V • NORTH STAR Gas Powered Pressure Washer • (6) STIHL TS420 Demo Saws • (4) MULTIQUIP and WACKER Plate Compactors • (6) MULTIQUIP 6000 Watt Generators • HONDA 5000 Watt Generator • HONDA 3800 Watt Generator • (2) MULTIQUIP 3600 Watt Generators • HONDA 3" Centrifugal Pump • MULTIQUIP 3" Centrifugal Pump • (2) MULTIQUIP 2" Centrifugal Pumps • (15) Paving Breakers • (7) Pneumatic Drills • (3) Pickboards: 20'x24"; 16'x20"; 12'x14" • GATES PC707 Hydraulic Hose Crimping Station, with 700 series dies • COLL-O-CRIMP Hydraulic Hose Crimping Station • Hydraulic Hose Fittings • MILLERMATIC 250 Mig Welder, s/n KG058107 • THERMAL DYNAMICS Pak Master 50 Plasma Cutter, 220V • Oxygen/Acetylene Torch Kit • NORTHERN Horizontal Band Saw • ARCAN 20 Ton Shop Press • BLACKHAWK 5/8" Drill Press • (2) DEWALT Abrasive Chop Saws • OTC 1770A Wheel Dolly • Trans Jack • HEIN WARNER 10 Ton Floor Jack • NAPA 3 Ton Floor Jack • (12) Jack Stands • EXCELL 2 Ton Engine Hoist • (2) 8" Bench Grinders • Pneumatic Luber • Parts Washer

RUBBER TIRED EXCAVATORS

2011 CATERPILLAR M322D,

s/n D2W00300, Cat 6.6L Acert diesel, 9'6" dipper stick, multi-function auxiliary hydraulics, Cat 72" cleanup bucket with hydraulic wrist, EROPS with heat and ac, (4) hydraulic outriggers, and 11.00x20 tires. In good to very good condition with fair to good tires. (Meter Reads 3.852 Hours)



11 VOLVO EW210C

2005 CATERPILLAR M322C,

s/n BDK00443, Perkins diesel, 9'6" dipper stick, auxiliary hydraulics, Cat 60" cleanup bucket, EROPS with heat and ac, (4) hydraulic outriggers, and 11.00x20 tires. In good condition with good tires. (Meter Reads 07,334 Hours)

CAT 36" Digging Bucket (M322) • 72" Cleanup bucket, with hydraulic wrist (M322) (Needs Rebuilt)

- WALK BEHIND CONCRETE SAWS

2018 CORE CUT CC6571, s/n 156778, Kubota 71HP (52.2KW) diesel and hydrostatic trans, 30" blade capacity. In very good condition. (Meter Reads 236 Hours)

2018 CORE CUT CC6571, s/n 156781, Kubota 71HP (52.2KW) diesel and hydrostatic trans, 3-spd gear box and 14"-36" blade capacity. In very good condition. (Meter Reads 155 Hours)

2018 CORE CUT CC6571, s/n 156722, Kubota 71HP (52.2KW) diesel and hydrostatic trans, 30" blade capacity. In very good condition. (Meter Reads 237 Hours)



(1) OF (4) `18 - `16 CORE CUT **71HP DIESELS**

2013 CORE CUT CC6566, s/n 147067,

hydrostatic trans, 30" blade capacity. In

hydrostatic trans, 30" blade capacity. In

good condition. (Meter Reads 837 Hours)

s/n 144957, Deutz 60HP (42.0KW) diesel

and hydrostatic trans, 30" blade capacity.

good condition. (Meter Reads 954 Hours) 2012 CORE CUT CC6560XLS, s/n

Kubota 66HP (49.2KW) diesel and

144940, Deutz 60HP diesel and

2012 CORE CUT CC6560XLS,

2016 CORE CUT CC6571, s/n 153614, Kubota 71HP (52.2KW) diesel and hydrostatic trans, 36" blade capacity. In very good condition.



(2) OF (6) 66HP AND 60HP DIESELS

In good condition. 2011 CORE CUT 6560XLS, s/n 141380, Deutz 60HP (42.0KW) diesel and hydrostatic trans, 30" blade capacity. In good condition.

2006 MERCURY SS706026, s/n AC3700122, Deutz 60HP diesel and hydrostatic trans, 26" blade capacity. In good condition. (Meter Reads 957 Hours) 2005 MERCURY Q645748, s/n BF0304408, Deutz 57HP (42.6KW) diesel and hydrostatic trans, 3-spd gear box and 14"-48" blade capacity. In good condition.



11 CAT M322D

2011 VOLVO EW210C, s/n 120112, Volvo V-ACT, 170HP diesel, 9'6" dipper stick, multi-function auxiliary hydraulics, hydraulic coupler, Rockland 32" digging bucket with side cutters, 9' backfill blade, EROPS with heat and ac, (4) hydraulic outriggers, and 10.00x20 tires. In good condition with good tires. (Meter Reads 05.688 Hours)



05 CAT M322C

TRACTOR LOADER BACKHOES AND RUBBER TIRED LOADER

2005 CATERPILLAR 430D, 4x4, s/n BNK06986, Cat 3054T diesel and shuttle trans, 4WD, gp loader bucket, Wain Roy 24" clamshell digging bucket, OROPS, 12.5/80x18 front and 19.5x24 rear tires. In good condition with good tires. (Meter Reads 8,006 Hours)



04 CAT 430D

2004 CATERPILLAR 430D, s/n BNK06151 Cat 3054T diesel and shuttle trans, gp loader bucket, Wain Roy 24" clamshell digging bucket, OROPS, 11Lx16 front and 19.5Lx24 rear tires. In good condition with good tires. (Meter Reads 3,106 Hours)

1978 CASE 580C, s/n 8978611, Case diesel and shuttle trans, gp loader bucket, 12" straight edge digging bucket, OROPS, 11Lx16 front and 17.5Lx24 rear tires. In fair condition with good tires.



05 CAT 430D 4X4

2004 CATERPILLAR 430D, s/n BNK06150, Cat 3054T diesel and shuttle trans, gp loader bucket, Wain Roy 24" clamshell digging bucket, OROPS, 11Lx16 front and 19.5Lx24 rear tires. In good condition with fair tires. (Meter Reads 1,020 Hours)



04 CAT 430D

`07 & `06 CAT 236B

(HAMMERS SOLD SEPARATELY)

1970 DYNAHOE 190, s/n D190AD1449, Detroit diesel and shuttle trans, gp loader bucket, enclosed cab, 11x16 front and 16.9x24 rear tires. In fair to poor condition with poor tires. (Complete Parts Machine)

1981 JD 544C, s/n 401325DW, JD diesel and ps trans, gp loader bucket, EROPS, and 17.5x25 tires. In fair to good condition with good tires.

SKID STEER LOADERS AND ATTACHMENTS

2007 CATERPILLAR 236B, s/n HEN05929, Cat 3044C diesel and hydrostatic trans, gp loader bucket, auxiliary hydraulics, EROPS with heat, and 12x16.5 tires. In good condition with good tires. (Meter Reads 2,695 Hours) 2006 CATERPILLAR 236B, s/n HEN03841, Cat 3044C diesel and hydrostatic trans, gp loader bucket, auxiliary hydraulics, OROPS, and 12x16.5 tires. In good condition with good tires. (Meter Reads 2,203 Hours)



06 CAT 236B

1996 BOBCAT 763, s/n 512219235, 4 cylinder diesel and hydrostatic trans, auxiliary hydraulics and 10x16.5 tires. In fair condition with good tires. (Serial Number From Records)

2017 CP RX4-II Hydraulic Demolition Hammer, s/n BES081171. In good condition • 2017 CP RX4-II Hydraulic Demolition Hammer, s/n BES085803. In good condition • CAT H63 Hydraulic Demolition Hammer (Needs Rebuilt) • (2) CAT H65 Hydraulic Demolition Hammers (Need Rebuilt) • Demolition Hammer Mounting Plate

NO MINIMUMS • NO RESERVES

DUMP TRUCKS -

2011 VOLVO Tri-Axle, Volvo D11, 365HP diesel and Allison 4500 Series auto trans, Ox 16' steel dump body with air gate, 12" apron, and electric tarp, 40,000 lb rears, spring suspension, pintle hitch with electric, aluminum wheels, power heated mirrors, ac, 315/80R22.5 front, 11R22.5 rear, and 255/70R22.5 lift tires. In good condition with good to very good tires. (Odometer Reads 189,166 Miles)



2006 MACK CV713

Granite Tri-Axle. Mack 375HP diesel and auto trans. Ox 16' steel dump body with 2-way gate and electric tarp, camelback suspension, steerable airlift 3rd axle, 2-stage engine brake, aluminum front wheels, cruise control, ac, 425/65R22.5 front, 11R24.5 rear, and 11R22.5 lift tires. In good condition with good tires. In good condition with good tires. (Odometer Reads 163.779 Miles)

06 MACK CV713 GRANITE

2004 MACK CV713

Granite Tri-Axle, Mack AI, 350HP diesel and auto trans, Aero steel dump body with swing gate and electric tarp, 58,000 lb rears and 18,000 lb front axle, camelback suspension, airlift 3rd axle, 2-stage engine brake, heated mirrors, cruise control, ac, 315/80R22.5 front, 11R22.5 rear, and 255/70R22.5 lift tires. In good condition with very good tires. (Odometer Reads 225,722 Miles)



2004 MACK CV713

04 MACK CV713 GRANITE

Granite Tri-Axle, Mack 6 cylinder diesel and Allison auto trans, RS 17' steel dump body with 2-way gate and electric tarp, 46,000 lb rears and 18,000 lb front and lift axles, 2-stage engine brake, camelback suspension, aluminum front wheels, heated mirrors, cruise control, ac, 315/80R22.5 front, 255/70R22.5 lift, and 11R22.5 rear tires. In good condition with good tires. (Odometer Reads

04 MACK CV713 GRANITE

236,483 Miles) **2002 STERLING**

LT7500 Tri-Axle, Cat C-10 diesel and Fuller 8LL, 10 spd trans, 17' steel dump body with 2-way gate, 40,000 lb rears and 16,000 lb front axle, steerable lift axle, spring suspension, cruise control, ac, 315/80R22.5 front, 255.70R22.5, and 11R22.5 rear tires. In good condition with good tires. (Odometer Reads 191,648 Miles)

Mack E7-300 diesel and Maxitorque TS310, 10 spd

kit, air slide 5th wheel, air ride suspension, 2-stage

engine brake, 188" wheelbase, aluminum wheels,

power heated mirrors, power windows and locks,

cruise control, ac, 52,000 lb GVWR, and 11R22.5

2004 MACK CX613 Vision Tandem Axle,

tires. In good condition with good tires.

02 STERLING AND

86 TRANSPORT 50 TON



`02 AND `99 STERLING TRI-AXLES

11 VOLVO TRI-AXLE



(Odometer Reads 226,900 Miles)

97 FREIGHTLINER FL80

Tri-Axle, Mack EM7-300 diesel and Maxitorque T2080 trans, 16' steel

1994 MACK RD690S

1999 STERLING Tri-Axle, Cat 3306, 300HP diesel and Fuller 8LL, 10 spd trans,

suspension, steerable airlift 3rd axle, ac, 315/80R22.5 front, 11R22.5 rear, and

aood tires.

225/70R22.5 lift tires. In good condition with good to very good tires.

17' steel dump body with 2-way gate, 40,000 lb rears and 16,000 lb front axle, spring/beam

1997 FREIGHTLINER FL80 Tri-Axle, Cummins diesel

axle, airlift 3rd axle, spring/beam suspension, heated

mirrors, ac, and 11R22.5 tires. In good condition with

and Fuller 9 spd trans, 17'6" steel dump body with swing

gate and electric tarp, 44,000 lb rears and 16,540 lb front

dump body with 10" apron and electric tarp, airlift 3rd axle, camelback suspension, ac, 315/80R22.5 front, 11R22.5 rear, and 295/70R22.5 lift tires. In good condition with good tires. (Odometer Reads 282,188 Miles)

2007 MACK CV713 Granite Tandem Axle,

Mack AI-427 diesel and Maxitorgue ES T3/0M/MLR 10 spd multi-spd reverse trans. Ox 16' steel dump body with electric tarp, 44,000 lb rear and 18,000 lb front axle, camelback suspension, 2-stage engine brake, heated mirrors, cruise control, ac, 385/65R22.5 front and 11R24.5 rear tires. In good to very good condition with good to very good tires. (Odometer Reads 202.082 Miles)

1988 FORD LNT9000 Tandem Axle, Cat 3406B diesel and Rockwell 9 spd trans, 16' steel dump body with swing

gate, spring/beam suspension, 33,200 lb GVWR, and 11R22.5 tires. In fair condition with good tires.

1986 FORD 8000 Tandem Axle, Cat 3208, 225HP diesel and Fuller 13 spd trans, 16' steel dump body with manual tarp, spring suspension, aluminum front wheels, and 11R24.5 tires. In fair to good condition with good tires.

1985 FORD F-8000 Tandem Axle, Cat 3208 diesel and Fuller 10 spd trans, 14' steel dump body with swing gate and manual tarp, spring/beam suspension, and 11R22.5 tires. In fair condition with fair tires.

1980 GMC Brigadier Tandem Axle, Detroit 6V-53 diesel and 5 spd trans, 14' steel dump body, spring suspension, and 11R24.5 tires. In fair to poor condition with fair tires.

TRUCK TRACTORS AND LOWBOY TRAILERS -

trans, 40,000 lb rear and 12,000 lb front axle, wetline

04 MACK CX613 AND **`96 TRAIL KING STEP DECK**

2002 STERLING Tandem Axle, Detroit Series 60, 470HP diesel and Fuller 9 spd trans, 40,000 lb rear and 12,000 lb front axle, wetline kit, air slide 5th wheel, air ride suspension, 2-stage engine brake, 170" wheelbase, power heated mirrors, cruise control, ac, 52,000 lb GVWR, and 11R24.5 tires. In good condition with good tires.

Fuller 8LL, 10 spd trans, 44,000 lb rears and 12,080 front axle, wetline kit, airlift 3rd axle,

spring/beam suspension, air slide 5th wheel, double frame, 202" wheelbase, aluminum front wheels, ac, and 11R22.5 tires. In good condition with good to very good tires.

1995 FORD L9000 Tandem Axle, Cat 3406 diesel and Fuller 9 spd trans, wetline kit, air ride suspension, air slide 5th wheel, ac, and 11R22.5 tires. In good condition with good tires.



1987 FORD LTL9000 Tri-Axle, Cat 3406B diesel and



`89 EAGER BEAVER 35 TON

THURSDAY, MARCH 7, 2019 - 9:00AM

1995 FORD L9000 Tandem Axle, Cat 3406 diesel and Fuller 9 spd trans, wetline kit, air slide 5th wheel, air ride suspension, ac, and 11R22.5 tires. In good condition with fair to good tires.

1976 MACK R686ST Tandem Axle Winch Tractor. Mack ENDT676, 283HP diesel and 6 spd lo-hole trans, Tulsa PTO chain drive winch, sloped tail, double frame, camelback suspension, 80,000 lb GVWR, and 11R22.5 tires. In fair to good condition with fair to good tires.



MACK R686ST AND HYSTER 40 TON

non-ground bearing hydraulic detachable gooseneck, auxiliary gas pony motor, 21'8"x8' level deck, 5'2" over axles, 3' beavertail, spring suspension, chain dogs, and 255/70R22.5 tires. In good condition with good tires.

1972 HYSTER RF40T03-T1, 40 Ton Tri-Axle Folding Neck Lowboy, mechanical folding gooseneck, 10' upper deck, 16' level deck, 11'10" over axles, 96" width, beam suspension, chain dogs, outriggers, 96,300 lb GVWR, and 9.00x15 tires. In fair to good condition with fair to good tires.



95 FORD L9000 AND `03 FONTAINE SPREAD AXLE STEP DECK



50 Ton Tri-Axle Lowboy, ground bearing hydraulic detachable gooseneck, 22'x8' level deck, 11'6" over axles, beam suspension, chain dogs, outriggers, 123,300 lb GVWR, and 255/70R22.5 tires. In good condition with good tires. **1989 EAGER BEAVER 35GSLBR,** 35 Ton Tandem Axle Lowboy,



94 MACK RD690S

07 MACK CV713 GRANITE

CONE DISTRIBUTION AND ATTENUATOR TRUCKS

2005 CHEVROLET C7500 Single Axle Cone Distribution, Cat C-7, 190HP diesel and auto trans, 18' steel cone distribution body with 60" wooden sides and fold-down expanded metal gate. 19,000 lb rear and 8,000 lb front axle, hydraulic brakes, spring suspension, pintle hitch, ratchet straps, power mirrors, cruise control, ac, 25,950 lb GVWR, and 11R22.5 tires. In good condition with good to very good tires.



`05 CHEVY C7500 CONE DISTRIBUTION (Odometer Reads 207,751 Miles)



CONE DISTRIBUTION

2000 CHEVROLET C6500 Single Axle Cone Distribution, Cat 3126, 175HP diesel and auto trans, 19' steel cone distribution body with 79" wooden stake sides, hydraulic brakes, spring suspension, ratchet straps, ac, 23,100 lb GVWR, and 9R22.5 tires. In good condition with good tires. (Odometer Reads 069,828 Hours)

1995 FORD F-Series Single Axle Cone Distribution, Cummins diesel and auto trans, 19' steel cone distribution body, 55" wooden stake sides, air brakes, spring suspension, ac, 26,000 lb GVWR, and 295/75R22.5 tires. In good condition with

good tires. (Odometer Reads 198,025 Miles) 2000 INTERNATIONAL 4700 Single Axle Attenuator, Int'l T444E diesel and auto trans, 12' steel stake body with 42" metal sides, MPS 350 attenuator with electric winch, Solar Tech electric arrow board with Silent Sentinel cab controls, air brakes, spring suspension, cruise control, ac, and 295/75R22.5 tires. In good condition with very good tires. (Odometer Reads



00 INT'L 4700 **ATTENUATOR**



1999 FORD F-800 Single Axle Attenuator,

Cummins ISB, 190HP diesel and auto trans, 14' steel flatbed with 28" wooden stake sides, Energy Absorption Safe-Stop TMA 2-section attenuator. Ver-Mac electric arrow board with cab controls, air brakes, spring suspension, ac, 26,000 Ib GVWR, and 295/75R22.5 tires. In good condition with good tires. (Odometer Reads 116,066 Miles) 1996 INTERNATIONAL 4700 Single Axle Attenuator,

99 FORD F-800 **ATTENUATOR**

128,483 Miles)

Int'I T444E diesel and auto trans, 14' steel flatbed, Energy Absorption Safe-Stop 2-section attenuator, solar arrow board, air brakes. In good condition with good tires. (Odometer Reads 166,841 Miles)

1996 INTERNATIONAL 4700 Single Axle Attenuator. Int'l T444F diesel and auto trans, 13' steel flatbed, Energy Absorption Safe-Stop TMA 2-section hydraulic folding attenuator, Ver-Mac battery powered arrow board with cab controls, air brakes, spring suspension, 25,500 lb GVWR, and 295/75R22.5 tires. In good condition with good tires. (Odometer Reads 171,489 Miles)

1995 FORD F-800 Single Axle Attenuator, Ford/Cummins B5.9, 175HP diesel and auto trans, 14'6" steel stake body with 42" metal sides, MPS 350 attenuator, Solar Tech arrow board with Silent Sentinel cab controls, 19,000 lb rear and 7,000 Ib front axle, air brakes, spring suspension, ac, 26,000 lb GVWR, and 10R22.5 tires. In good condition with good tires. (Odometer Reads 167,810 Miles)

STEP DECK AND FLATBED TRAILERS

2003 FONTAINE TDFT-6-8050SAWK, 50' Spread Axle Step Deck,

80,000 lb frame rating, 10' upper deck, 22" drop, 40' lower deck, 102" overall width, 10'2" axle spacing, air ride suspension, stake pockets ratchet straps, frame mounted storage boxes, aluminum wheels, removable aluminum headboard, 50,000 lb in 15' concentrated load rating, and 255/70R22.5 tires. In good condition with good tires.

2003 DOONAN 482DB140, 48' Spread Axle Step Deck, 10' upper deck, 2'2" drop, 38' lower deck, 102" width, 10'2" axle spacing, air ride suspension, stake pockets, ratchet straps, 90,000 lb GVWR, and 235/75R17.5 tires. In good condition with good tires.



SPREAD AXLE STEP DECK

1996 TRAIL KING TK70LCS-482, 48' Tandem Axle Step Deck, 10' upper deck, 2' step, 38' lower deck, 102" overall width, tail roller, air ride suspension, stake pockets, ratchet straps, 81,000 lb GVWR, 50,000 lb in 10' concentrated load rating, and 235/75R17.5 tires. In good condition with good tires.

(3) 2008 SULLAIR 375HCA,

375CFM Portable, Cat C4.4 Acert diesel, 150PSI and ST205/75R15 tires. In good condition. (All Less Than 3,600 Hours) (3) 2007 INGERSOLL RAND P250WJD. 250CFM Skid Mounted, JD 4045DF150 diesel. In good condition. (Average 4,000 Hours)



(2) 2016 WANCO WTLMB Message Boards,

and 205/75D15 tires. In very good condition.

(2) 2012 VER-MAC PCMS-1210 Message

Boards, 3-line, 24-charcter message board,

power tower, and ST225/75R15 tires. In good

`05 SULLAIR 185DPQJD

condition with good tires.

In good condition.

185CFM Portable, s/n 274355UCH221, JD diesel. In good condition. 2003 INGERSOLL RAND P185WJDU,

(2,501 and 836 Hours)

185CFM Skid Mounted, s/n 338892UGN297, JD 4045DF150 diesel.

SOLAR MESSAGE BOARDS AND ARROW BOARDS

AIR COMPRESSORS

1996 INGERSOLL RAND P185WJD. 185CFM Skid Mounted. s/n 260937UG327. JD 4039DF diesel. In fair to good condition.



`08 SULLAIR 375HCA, 150PSI

(2) 2005 SULLAIR 185DPOJD. 185CFM

Portable, JD 4024T diesel, 100PSI and

ST225/75R15 tires. In good condition.

1997 INGERSOLL RAND P185WJD,

`16 WANCO MESSAGE BOARDS

3-line, 24-character message board, power tower, and 205/75R15 tires. In good condition with good tires.

(2) 2000 VER-MAC PCMS-1210 Message Boards, 3-line, 24-charcter message board, power tower, and ST225/75R15 tires. In good condition with good tires. (2) 2012 WANCO ECO Portable Arrow



(3) OF (10) ARROW BOARDS

(2) 2011 MULTIQUIP LT12 Night

Hawks, Kohler diesel, 6000 watt generator. In good condition. (2) 2005 MULTIQUIP Whisperwatt

7000, Kubota diesel, 7000 watt

Kubota diesel, 6000 watt generator.

generator. In good condition. (2) 2001 AMIDA AL4060D-4MH.

In good condition.

Portable Arrow Boards • 1999 WANCO WTSP90-LSA Portable Arrow Board • 2001 VER-MAC VM-4815ST Portable Arrow Board • (2) TRAFCON TC1-15S Portable Arrow Boards • AMIDA ODLSB15LA Portable Arrow Board



(1) OF (2) `11 MQ NIGHT HAWKS

(2) 1997 AMIDA AL4060D-4MH. Kubota diesel. 6000 watt generator. In good condition. BOSS D1K64MH, Kubota diesel, 6000 watt generator. In good condition.

(2) OF (9) LIGHT PLANTS

NEVER A BUYER'S PREMIUM!

PORTABLE LIGHT PLANTS

2011 WANCO ECO Portable Arrow Board, 15-lamp, LED lighting, and AGM sealed batteries. In good condition. (2) 2005 & 2003 ALLMAND 2200ALT

2005 WANCO WTLMB Message Board,

very good condition.

Boards, 15-lamp, LED lighting,

and AGM sealed batteries. In good to

3-line, 24-character message board, power tower,

WATER TRUCKS AND STRAIGHT TRUCKS

2006 CHEVROLET C7500 Single Axle Flatbed/Water, Cat C-7, 190HP diesel and auto trans, 19'6" steel flatbed body, 1,500 gallon poly water tank, hydraulic brakes, pintle hitch, storage boxes, power mirrors, 25,950 lb GVWR, and 11R22.5 tires. In good condition with good tires. (Odometer Reads 197,903 Miles) 2000 FORD F-650XL Super Duty Single Axle Water, Cummins ISB, 225HP diesel and auto trans, 1,500 gallon poly water tank, hydraulic brakes, spring suspension, ac, 26,000 Ib GVWR, and 295/75R22.5 tires. In good condition with good tires. (Odometer Reads 161,729 Miles) 1998 INTERNATIONAL 4700 Single



06 CHEVY C7500



00 FORD F-650XL

Axle Flatbed/Water, Int'l DT466E diesel and auto trans, 17'6" steel flatbed with electric lift gate, 1,500 gallon poly water tank, air brakes, spring suspension, double frame, behind cab storage box, cruise control, ac, 25,500 lb GVWR, and 10R22.5 tires. In good condition with good tires. (Odometer Reads 241,055 Miles)

2001 INTERNATIONAL 4700 Single Axle Straight Truck,

Int'I DT466E diesel and auto trans. 20'6" aluminum van body with rollup rear door, electric lift gate, spring suspension, hydraulic brakes, cruise control, ac, 23,500 lb GVWR, and 245/70R19.5 tires. In good condition with good tires. (Odometer Reads 080.381 Miles)

2000 FORD F-650XL Super Duty Single Axle Straight Truck,

Cummins ISB, 225HP diesel and auto trans, 24'6" FRP van body with rollup rear door, electric lift gate, spring suspension, hydraulic brakes, ac, 26,000 lb GVWR, and 295/75R22.5 tires. In good condition with good to very good tires. (Odometer Reads 125,057 Miles)

1995 FORD F-Series Single Axle Straight Truck, Cummins B5.9, 175HP diesel and auto trans, 20' aluminum van body with rollup door, Maxon 3,200 lb electric lift gate, air brakes, spring suspension, ac, 22,000 lb GVWR, and 9R22.5 tires. In good condition with very good tires. (Odometer Reads 054,832 Miles) 1995 ISUZU Cab Over Straight Truck, diesel and auto trans, Morgan 15' van body with rollup door, hydraulic brakes, 14,250 lb GVWR, and 215/85R16 tires. In fair to good condition with good tires. (Odometer Reads 238,466 Miles)

UTILITY TRUCK AND TAG-A-LONG TRAILERS

2018 CHEVROLET 2500HD Crew

Cab Utility Truck, Vortec 6.0L gas and auto trans, 8' open utility body, tow package, power mirrors, windows, and locks, cruise control, ac, and 245/75R17 tires. In very good condition with good to very good tires. (Odometer Reads 10 599 Miles) 2014 CARRY-ON 8X14CGR

Tandem Axle Enclosed Cargo Trailer, 14' aluminum cargo body with

fold-down rear door and side man

door, spring suspension, 7,000 lb GVWR, and 205/75D15 tires.

In good condition with good tires.

• 2004 ECONOLINE Bobkat Pro,

6 Ton T/A • 2000 CARSON T/A

• 2000 CARRY-ON T/A • 2000

HARTSELLE T/A • 1998 CRONKHITE

T/A • 1998 CRONKHITE T/A • 1998

CARSEN T/A • (2) 1993 Shopmade

S/A • BECK T/A (No Title)

T/A Grout Trailer • 1999 CARSON

2007 ECONOLINE 7 Ton T/A

18 CHEVY 2500HD



`14 CARRY-ON 8X14CGR



STAKE BODY AND FLATBED TRUCKS

2006 CHEVROLET C6500 Single Axle Stake Body, Cat C-7, 190HP diesel and auto trans, 18'3" steel stake body with 40" steel stake sides. hydraulic brakes, spring suspension, 29,950 lb GVWR, and 245/70R19.5 tires. In good condition with good to very good tires. (Odometer Reads 168.332 Miles)

2002 CHEVROLET C5500 Single Axle Stake Body, Cat 3126,

175HP diesel and auto trans, 15' steel stake body with 40" metal sides, Anthony electric lift gate, hydraulic brakes, spring suspension, frame mounted storage boxes, ac, 19,660 lb GVWR, 245/70R19.5 front and 8R19.5 rear tires. In good condition with good tires. (Odometer Reads 138,263 Miles)



06 CHEVY C6500



02 CHEVY C5500

1995 FORD F-800 Single Axle Stake Body,

Cummins B5.9, 175HP diesel and auto trans, 14' steel flatbed, 5'3" wooden stake sides, pullout ramp, air brakes, pintle hitch, ac, 21,000 lb GVWR, and 9R22.5 tires. In good condition with fair tires. (Odometer Reads 050,134 Miles)

1995 FORD F-800 Single Axle Stake Body, 6 cylinder diesel and auto trans, 15' steel stake body with 40" metal sides, electric lift gate, air brakes, spring suspension, ratchet straps, 21,000 lb GVWR, and 9R22.5 tires. In fair to good condition with good tires. (Odometer Reads 216,260 Miles)

1994 FORD F-700 Single Axle Stake Body, Cummins B5.9, 175HP diesel and auto trans, 16' steel flatbed with stake sides, hydraulic brakes, tow package with electric, 22,000 lb GVWR, ac, and 9R22.5 tires. In good condition with good tires. (Odometer Reads 133,626 Miles)

1993 INTERNATIONAL 4600 Single Axle Stake Body, V-8 gas and auto trans, 12' steel stake body with 42" metal sides, hydraulic brakes, spring suspension, pintle hitch, and 245/70R19.5 tires. In good condition with good tires. (Odometer Reads 270,554 Miles)

1990 INTERNATIONAL 4600 Single Axle Stake Body, Int'l 7.3L, 150HP diesel and auto trans, 14' flatbed with stake sides and ratchet straps, hydraulic brakes, tow package with electric, and 9R22.5 tires. In good condition with good tires. (Odometer Reads 096,386 Miles)

1989 GMC 7000 Topkick Single Axle Stake Body, Detroit 8.2L diesel and 5 spd trans with 2 spd rear, 15' flatbed with stake sides and ratchet straps, hydraulic brakes, tow package with electric, 28,000 lb GVWR, and 10.00-20 tires. In good condition with good tires. (Odometer Reads 167,113 Miles)

1999 FORD F-800 Single Axle Flatbed, Cummins 5.9L, 190HP diesel and auto trans, 21' steel flatbed with electric lift gate, hydraulic brakes, 26,000 lb GVWR, and 295/75R22.5 tires. In good condition with good tires. (Odometer Reads 136.064 Miles)

1993 FORD F-700 Single Axle Flatbed, Cummins B5.9, 170HP diesel and auto trans, 12' steel flatbed, hydraulic brakes, tow package with electric, 24,500 lb GVWR, and 10R22.5 tires. In good condition with good tires. (Odometer Reads 148.719 Miles)

1992 FORD F-700 Single Axle Flatbed, Ford 170HP diesel and auto trans, 14' flatbed with wooden deck and stake pockets, hydraulic brakes, tow package with electric, 22,000 lb GVWR, and 9R22.5 tires. In fair to good condition with good tires. (Odometer Reads 083,740 Miles)

1990 FORD F-700 Single Axle Flatbed, diesel and 5 spd trans with 2 spd rear, 16' steel flatbed body with partial 18" wooden sides, air brakes, spring suspension, 24,500 lb GVWR, and 9.00R20 tires. In good condition with good tires. (Odometer Reads 098,242 Miles)

1990 INTERNATIONAL 4600 Single Axle Flatbed, Detroit diesel and auto trans, 15' steel flatbed, hydraulic brakes, tow package with electric, and 9R22.5 tires. In good condition with good tires. (Odometer Reads 072,291 Miles)

1990 FORD F-700 Single Axle Flatbed, Ford 170HP diesel and auto trans, 18' steel flatbed with stake pockets, hydraulic brakes, tow package with electric, 23,100 lb GVWR, 10R22.5 front and 9.00-20 rear tires. In fair to good condition with good tires. (Odometer Reads 085,107 Miles)

THURSDAY, MARCH 7, 2019 - 9:00AM