



1440 COWPATH RD. • HATFIELD, PA 19440  
 215/361-9099 • Fax: 215/361-9212  
 www.hunyady.com



(1) OF (3) CAT D6C



'05 PETERBILT PB335



CHICAGO PNEUMATIC 7000

PRE-SORTED  
 FIRST CLASS MAIL  
 US POSTAGE  
**PAID**  
 UPPER DARBY, PA  
 PERMIT #45



# LIVE, VIRTUAL ABSOLUTE AUCTION SURPLUS LIQUIDATION



'09 SULLAIR 1150CFM  
 @ 350PSI

**Devonian Resources, Inc.**  
**WEDNESDAY, NOVEMBER 11, 2020 - 9:00AM**  
**Pleasantville, Pennsylvania**



## Devonian Resources, Inc.

Online  
Bidding

Powered By:  
**proxibid**

Please visit our website at  
**www.hunyady.com**  
Full Photo Library Available

**Notice:** After many years in the oil and gas production business, Devonian Resources has decided to sell equipment surplus to their present needs. Everything in the auction is owned by Devonian, with the exception of a few consignments, and will positively sell to the highest bidder regardless of price!

**Social Distancing Guidelines:** Strict social distancing guidelines will be enforced throughout the entire inspection and loadout phases. These guidelines will be: **NO ADMITTANCE** to the site without mask and gloves. Physical, social distancing of at least 6 feet will be enforced as well.

**Location:** 15566 Tionesta Road, Pleasantville, PA 16341 (Please Note: There will be NO LIVE BIDDING onsite)

**LIVE, VIRTUAL AUCTION:** Due to the recommendations of the CDC and State and Local mandates in response to the Covid-19 outbreak and out of an abundance of caution for the health and wellbeing of all, this auction is being conducted via **LIVE, VIRTUAL ONLINE ONLY**. *There will be NO LIVE BIDDING FROM THE SITE. ADDITIONALLY, there will be NO PAYMENTS accepted at the auction site! Payment must be paid either by wire transfer or credit card.*

**Terms:** Complete payment immediately after receipt of invoice by wire transfer or credit card only. Credit card payments will be charged a 3% processing fee.

**Online Bidding:** Live internet bidding will be provided by Proxibid. Proxibid will charge an Internet Service Provider Fee of 5% to the successful internet bidder for items over \$10,000 and 10% for items \$10,000 and under, for each lot purchased on-line. All bidders are required to register to bid through Proxibid.

**Sales Tax:** Since this contractor is selling items not normally sold in the course of his business, the Commonwealth of Pennsylvania considers this an isolated sale and does not require the auction company to collect sales tax.

**Inspection:** Items will be available for inspection Monday and Tuesday, November 9th and 10th from 8:00am to 4:00pm or sale day morning beginning at 7:00am.

**Removal:** After complete payment, items may be removed Thursday and Friday, November 12th and 13th and Monday and Tuesday, November 16th and 17th from 8:00am until 4:00pm. All items must be removed no later than Tuesday, November 17th, 2020 by 4:00pm.

## Sale Site Phone: (800) BID-N-BUY • Sale Site Fax: (888) 859-8958

### PIPE TUBS, PIPE BOATS, AND RACKS

**35'x7'10" Pipe Boat**, equipped with tapered wood deck, 8" pipe skids, stake pockets, and draw bars. In good condition. (Needs Re-Decked)

**32'x7'6" Pipe Boat**, equipped with tapered wood deck, 8" pipe skids, stake pockets, and draw bars. In good condition. (Needs Re-Decked)

**30'x7' Pipe Boat**, equipped with wood deck, 8" pipe skids, stake pockets, and drawbars. In good condition. (Needs Re-Decked)

(3) 35'x7'4" Pipe Tubs

36'x8' Pipe Tub

(2 Sets) 28' Pipe Racks • (2 Sets) 20' Pipe Racks • (1 Set) 19' Pipe Racks



PIPE TUBS

### EQUIPMENT AND TRUCK PARTS

Rebuilt **CAT 3408 Diesel Engine** • **DETROIT V-12 Diesel Engine**, running takeout • **Cat D343 Diesel Engine**, with manual pump and 10 V-belt sheave (Condition Unknown) • **CAT 1673 Diesel Engine**, with 5 speed transmission (Condition Unknown) • **WAUKESHA 4 Cylinder Diesel Engine** (Condition Unknown) • **CP 700, 32' Drill Mast**, with 5-steel carousel and top head gear box (CP700) • **TULSA Chain Drive Winch**, with headache rack • (2) **TULSA Chain Drive Winches** • (2) **BRADEN Chain Drive Winches**, with headache racks • **FRUEHAUF Chain Drive Winch**, with headache rack • Winch Tractor Flatbed • **11'6"x8' Tandem Axle Winch Tractor Bed**, with tail roller, 5th wheel, and winch stand • (2) **Mack Truck Hoods** • (4) **Pickup Headache Racks** • (2) **100 Gallon Pickup Fuel Tanks** • **JOY 1050-125 Rotary Screw Compressor** • **GEARMATIC Hydraulic Winch** • **GARDNER FFFXFE Gear Box**, s/n 127289




CAT 3408

### RIG SUPPORT TOOLS AND EQUIPMENT

(5) **HALKO 6" Down Hole Hammers**, (1) with 6-1/4" bit and 6" stabilizer • (2) **HALKO 8" Top Hole Hammers**, (1) with 8-1/2" bit and 8" stabilizer, and (1) with 12" bit and 10" stabilizer • (48) **2-3/8" Range 3, 40' Well Casings** • (94) **4-1/2" Range 3, 40' Well Casings** • **BJ Hydraulic Power Pipe Tongs**, equipped with 3-1/2" pipe die • **FDT 1160 Pipe Tongs** • Assorted Cable Tool Accessories • Assorted Size Door Latch Pipe Elevators • 8-1/2" Hy Drill • **GUIBERSON 40 Ton Pneumatic Pipe Slip**, with foot control • (10) Assorted Size Rotary Stabilizers • **UNUSED 4-1/2" x 21' Sand Pump** • (14) Assorted Size Cable Tool Bailers and Stems • (14) Assorted Size and Style Pipe Elevators • (6) Pipe Lifting Eyes • (6) Pipe Slips and Bowls • **LARGE QUANTITY Cable Drill, Cable Tools, and Fishing Tools** • (6) **Snatch Blocks** • (10) **Oil Pumping Units** • **Oil Day Tank** • (2) **WASHINGTON Rotating Oilers** • **HACKERMACH 28B Skid Mounted Hydraulic Rotating Table** • **CARDWELL 44' Single Pole, Single Drum Telescoping Service Rig**, mounted on 7'x7'6" oilfield skid • **Dual Skid Mounted GARDNER DENVER Size 401/4 Air Compressors**. In good condition.

### SHOP TOOLS

**LINCOLN Ranger 225 Amp, 10,000 Watt Welder Generator**, Kohler Command 20 gas engine • **LINCOLN 225 Amp Electric Welder** • **MILLERMATIC 251 Mig Welder**, with wire feeder • **ESAB Multimaster 260 Mig Welder**, with wire feeder • **VICTOR 52 Master Plasma Cutter** • **RIDGID 535 Power Threader**, with tubing cutter, die, and reamer • **JET Horizontal Band Saw** • **SUN 35 Ton Hydraulic Shop Press**



RIDGID 535




LINCOLN 225 AMP




## HIGH PRESSURE AIR COMPRESSOR

**2009 SULLAIR Model 900XHH-1150XH, 1150CFM High Pressure Air Compressor,** s/n 200909240075, powered by Cat C-15, 540HP diesel engine, equipped with 350 PSI, mounted on an oilfield skid base. In good condition. (Meter Reads 2,493 Hours)



'09 SULLAIR 900XHH-1150XH

## DRILLING AND SERVICE RIGS




CHICAGO PNEUMATIC 7000

**CHICAGO PNEUMATIC Model 7000 Top Head Drive Rotary Drilling Rig,** s/n 97328, powered by Cat 3406 deck engine, equipped with GHH 825-300 air compressor, 43' hydraulic raise mast, 7" diameter 70,000 lb. hydraulic pull back and pull down hydraulic cylinders, 8,000 lb. hydraulic winch and hydraulic jib, hydraulic break-out wrench, pipe carousel, table bushings, fold up rear platform, 3-hydraulic outriggers, 120-volt work lights, mounted on 1975 Mack model DM600 tandem axle chassis, VIN# DM492S1239, powered by Mack 300 diesel engine and Mack 6 speed lo-hole transmission, equipped with Jacobs engine brake, Mack camelback spring suspension, 216" wheelbase, 445/65 22.5 front and 11.00-20 rear tires. In fair to good condition. (Top Head Drive Leaking)

**WALKER-NEER Model C33-A Triple Drum Service Rig,** s/n 2178, equipped with right angle drive, cable raise and telescope 5-1/2" x 7-1/2" x 65' double pole mast, spud beam, (the third drum has been removed), auxiliary 8,000 lb. hydraulic winch, air clutches, cat head, spooling device and sheave, cab protector, auxiliary hydraulic tong circuit, 2-hydraulic outriggers, tool box, 2-sheave traveling block, weight indicator, mounted on 1978 International model F-2574 tandem axle chassis, VIN# CF257HHA20526, powered by Cummins 300 diesel engine and Fuller 6 speed transmission, equipped with double frame, Hendrickson beam suspension, 228" wheelbase, 425/65R22.5 front and 11R22.5 rear tires. In fair condition with good tires. **(41 Sections) 4-1/2" x 30' Drill Pipe** (Chicago Pneumatic)



WALKER-NEER C33-A



CP DRILL STEELS

## CRAWLER TRACTORS AND TRACTOR LOADER EXTEND-A-HOE

**CATERPILLAR Model D5H Crawler Tractor,** s/n 8RC01071, powered by Cat 3304 diesel engine and powershift transmission, equipped with 6-way straight blade, Cat model 55H hydraulic winch, s/n 2EJ00448, ROPS canopy, and 20" SBG pads. In good condition with good undercarriage.



CAT D5H

**CATERPILLAR Model D6C Crawler Tractor,** s/n 10K04014, powered by Cat 3306 diesel engine and powershift transmission, equipped with Hyster D6E winch and draw bar, rear gin pole, 114" straight blade with hydraulic tilt, ROPS canopy with sweeps and rear screen, and 22" SBG pads. In good condition with good undercarriage.

**CATERPILLAR Model D6C Crawler Tractor,** s/n 10K12236, powered by Cat 3306 diesel engine and powershift transmission, equipped with Hyster winch with draw bar, 148" manual angle, twin hydraulic tilt blade, ROPS canopy with rear screen, and 22" SBG pads. In fair condition with fair undercarriage. (Winch drum damaged)

**CATERPILLAR Model D6C Crawler Tractor,** s/n 10K08908, powered by Cat 3306 diesel engine and powershift transmission, equipped with Cat 56E winch with draw bar, 120" straight blade with hydraulic tilt, ROPS canopy with sweeps and rear screen, and 20" pads. In poor condition with good undercarriage. (Right Lift Jack Removed)



'93 JOHN DEERE 310D

**1993 JOHN DEERE Model 310D, 4x4 Tractor Loader Extend-A-Hoe,** s/n 794593, powered by John Deere 4039 diesel engine and shuttle transmission, equipped with general purpose loader bucket, WB 24" digging bucket, ROPS cab with heat, 12-16.5 front and 19.5-24 rear tires. In fair condition with fair tires.

## AIR COMPRESSORS AND BOOSTERS

**(2) JOY Model 1050-125 Double Air Compressor Packages,** powered by twin Cat 3406 diesel engines and twin Cummins 903 diesel engines, equipped with (2) Joy rotary screw single stage compressors, heat exchangers, mounted on an oilfield skid base. In fair condition. (1 Engine On Each Not Running)



JOY COMPRESSORS AND BOOSTERS

**(2) JOY Model 1050-125 Air Compressors,** powered by Cat 3406 diesel engine, equipped with Joy rotary screw single stage compressor, heat exchangers, mounted on an oilfield skid base. In good condition.

**JOY Model WB-12X7-5, 2-Stage 950PSI Air Booster Package,** s/n 81360-2, powered Cat 3406 diesel engine, equipped with air starter, twin-disk clutch, Joy piston booster, heat exchangers, mounted on an oilfield skid base. In good condition. (0 Hours on Air End Rebuild)

**JOY Model WB-12 Air Booster Package s/n 80-529,** powered by Cat 3406 diesel engine, equipped with air starter, twin-disk clutch, Joy piston booster, heat exchangers, mounted on an oilfield skid base. In fair condition. (Engine Not Running)

**COOPER AV1ANA, 4-1/4" Twin Head Single Stage Skid Mounted Air Compressor,** s/n 778648, Waukesha 4 cylinder diesel engine with Twin Disc manual clutch



## PORTABLE AIR COMPRESSOR AND LIGHT PLANT



ATLAS COPCO 185CFM

### 2012 WANCO INC. Model CPLT-MO Portable Light Plant,

s/n 5F13D1415C1000048, powered by Kohler gas engine, equipped with 6 KVA generator, manual raise, (4) lights, and 17.5-13 tires. In good condition with good tires. (Meter Reads 648 Hours)



2012 WANCO 6KVA

## WATER TRUCKS



05 PETE AND 99 MACK

vacuum water pump, rear spray bar, oilfield front bumper, engine brake, Paccar beam & rubber block suspension, 264" wheelbase, double frame, 18,000# front and 40,000# rear axles, 58,000# GVWR, air conditioning, aluminum wheels, power heated mirrors, cruise control, 315/80R22.5 front and 11R22.5 rear tires. In good condition with good tires.

### 2005 MACK Model CV713 Granite Tri-Axle Oil Vac Truck,

powered by Mack 6 cylinder diesel engine and Maxitorque T18L/L21/LR/LR21, 18 speed transmission, equipped with Dickirson 100BBL pressurized oil vac body, s/n 4380/38/8, model Dickirson H400W vac pump with spark prevention, 44,000# rears, 18,000# front axle, 13,200# lift axle, 75,200# GVWR, camelback suspension, PTO discharge pump, steerable lift axle, aluminum wheels, 3-stage engine brake, power windows and locks, heated mirrors, cruise control, air conditioning, 315/80R22.5 front, 255/70R22.5 lift, and 11R24.5 rear tires. In good condition with good tires. (DANNIC)

2005 MACK Model CV713 Granite Tandem Axle Water Truck, powered by Mack 6 cylinder diesel engine and Maxitorque T310M/MLR, 10 speed multi-speed reverse transmission, equipped with BCA 80BBL pressurized tank, s/n 1273, Masport vac pump, spring suspension, aluminum wheels, heated mirrors, cruise control, air conditioning, 315/80R22.5 front and 11R24.5 rear tires. In good condition with good tires. (DANNIC)

2001 MACK Model RD688S Tandem Axle Water Truck, powered by Mack E-7, 400HP diesel engine and Eaton Fuller 8LL 10 speed transmission, equipped with 80 barrel steel water tank, Masport 3" PTO driven vacuum water pump, rear spray bar, oilfield front bumper, Jacobs engine brake, Mack camelback spring suspension, 217" wheel base, double frame, 16,000# front and 40,000# rear axles, 58,000# GVWR, air conditioning, heated mirrors, cruise control, 385/65R22.5 front and 11R24.5 rear tires. In good condition with good tires.

1999 MACK Model RD688S Tandem Axle Water Truck, powered by Mack E-7 diesel engine and Eaton Fuller 10 speed transmission, equipped with 80 barrel steel water tank, Masport 3" PTO driven vacuum water pump, rear spray bar, oilfield front bumper, engine brake, Mack camelback spring suspension, 217" wheel base, double frame, 16,000# front and 40,000# rear axles, 58,000# GVWR, air conditioning, heated mirrors, cruise control, and 11R22.5 tires. In good condition with good tires.



05 MACK GRANITE

## TRUCK TRACTOR, WINCH TRUCKS, PICKUP TRUCK, AND TRAILERS

1983 INTERNATIONAL Model G2504 Tandem Axle Truck Tractor, powered by Int'l 8 cylinder diesel engine and Fuller 13 speed transmission, equipped with 12' steel deck with sloped tail, tail roller, stationary 5th wheel, Jacobs 2-stage engine brake, PTO with chain drive, and 11R24.5 tires. In fair condition with fair to good tires.

1983 FORD Model 700 Single Axle Winch Truck, powered by Int'l 8 cylinder diesel engine and 5 speed transmission with 2 speed rear, equipped with 13' steel flatbed with fold-away A-frame and tail roller, chain drive winch, under hood air compressor, 10.00x20 front and 11R22.5 rear tires. In good condition with good tires. (Not Running)

CHEVROLET Model C-60 Winch Truck, powered by 8 cylinder gas engine and 5 speed transmission with 2 speed rear, equipped with Leland 9' A-frame winch body, PTO with chain drive, and 9.00x20 tires. In fair condition with good tires. (Not Running)

2006 RAM Model 2500, 4x4 Heavy Duty Pickup Truck, powered by Cummins 6 cylinder diesel engine and automatic transmission, equipped with bed with liner, tow package, Boss 8' snowplow with quick-tach, air conditioning, and 255/70R17 tires. In fair condition with good tires. (DANNIC)

1979 DICKERSON Tandem Axle Oilfield Float Trailer, equipped with 32'x8' wood deck, 7-1/2" rolling tailboard, fold-up landing gear, spring suspension, and 10.00-20 tires. In fair to poor condition with fair tires.

1981 ROGERS Model CH55LH1940-1.5, Tandem Axle Rigid Neck Lowboy Trailer, equipped with 8'x24' main deck, 7'6" over axles, walking beam suspension, rolling tailboard, and 11R17.5 tires. In fair condition with good tires.

1981 ATOKA 50 Ton Tri-Axle Rigid Neck Lowboy Trailer, equipped with 8'x24' main deck, 12' over axles, rolling tailboard, and 11R17.5 tires. In fair condition with fair to good tires.

1981 LOADCRAFT Model L-35-SS, 35 Ton Tandem Axle Rigid Neck Lowboy Trailer, equipped with 9' upper deck, 8'x20' main deck, 8' over axles, 3' beavertail, 5' ramps, and 11R17.5 tires.

## DOG HOUSES, TANKS, AND PUMPS



DOG HOUSE

10'x6'6" Dog House, mounted on 18' oilfield skid base. In fair condition.

12'6"x16' 2-Piece Cable Tool Dog House, mounted on oilfield skid base.

37'x8' Mud Tank, mounted on oilfield skid base. In good condition.

31'4"x7'4" Water Tank, equipped with 7' 4" x 2' auxiliary water tank compartment mounted on an oilfield skid base. In poor condition. (Outer Casing Rusted)

3,000 Gallon, Skid Mounted Fuel Storage Tank • 1,000 Gallon Skid Mounted Steel Diesel Fuel Tank. In good condition. • 28'x7'6" High Skid Mounted Open Top Water Storage Tank • (2) 500 Gallon Poly Tanks • (3) 375 Gallon Poly Tanks • 300 Gallon Poly Tank • (3) 50-Barrel Poly Tank

### BETHEHEM POWER PUMP Model

H-150 6 x 12 Duplex Mud Pump, s/n 137, powered by Cat D343 diesel engine and Twin-Disk PTO clutch, equipped with 12" stroke, 4" x 40' hard suction hose, mounted on an oilfield skid base. In fair condition. (Main Clutch Frozen)

UNUSED DEMCO 6x8 Centrifugal Pump • UNUSED DEMCO 5x6 Centrifugal Pump • (2) 3" Trash Pumps, Honda GX270 gas • 3" Diaphragm Pump • (2) 2" Diaphragm Pumps • 2" and 3" Discharge Hose

Skid Mounted Separator, with meter run, meter house, and Barton flow meter • Skid Mounted Separator, with meter run and meter house



BETHEHEM DUPLEX